



NOTE:

1. DRAINAGE GRATE MAY BE ROUND, SQUARE OR RECTANGULAR.
2. DIMENSIONS CAN VARY FOR ROUND GRATES BUT SHALL BE 6 3/8" RADIUS, MINIMUM OR GREATER.
3. THICKNESS OF ALL GRATES SHALL BE A MINIMUM OF 1 1/4".
4. SQUARE GRATES SHALL BE A MINIMUM OF 11 7/8" SQUARE TO 16 1/4" SQUARE.
5. RECTANGULAR GRATES SHALL BE 6"x11" MINIMUM.
6. ACCEPTABLE MANUFACTURERS SHALL BE NEENAH, OR APPROVED EQUAL.

			<div>CITY OF FREMONT PARK STANDARD DETAILS</div> <div>AREA DRAIN IN HARDSCAPE</div>				DATE APPROVED BY CITY COUNCIL December 13, 2011	
							RESOLUTION NO. 2011-65	
							SENIOR LANDSCAPE ARCHITECT 	
							COMMUNITY SERVICES DIRECTOR 	
APR.	REVISED	DATE						
REVISIONS								
FILE NO.		SCALE		DRAWN	CHECKED	DATE	DWG NO.	
PSD DR-6.DWG		N.T.S.		CC/MAM	RER	05/02/2011	PSD DR-6	1 OF 1